

MRI contrast media injector from ulrich medical®







Very fast and easy to use

Do you wish for an optimal workflow and satisfied employees?


With the new generation of MRI contrast media injectors from ulrich medical®, this is no longer just wishful thinking. Insert Easy-Click-Cassette, close cover, connect patient tubing, load media container – now it's all ready for the first injection!


For every additional injection, only the patient tubing needs to be changed – the Easy-Click-Cassette can be left in place for 24 hours for as many injections as desired.

The three media connection points enable a second contrast medium to be selected (CM-Select). The alternating switching function when two identical contrast media are loaded (CM-Loop) additionally facilitates workflows.

■ Your advantages

- Set up only once per day
- 24 hours of use of the Easy-Click-Cassette
- Very fast patient changeovers
- Intuitive operator control concept
- Optimal CM management through two contrast media connection points
- Wireless operation





Setup made easy:

- ► Insert Easy-Click-Cassette
- Connect patient tubing
- ► Attach media container
- ▶ Done!

Patient changeovers in only a few seconds:

- ▶ Detach patient tubing
- Connect new patient tubing
- ▶ Done!

Innovation made in Germany

Three media connection points

Connection points for all standard media containers

Patient-side air detector

Pressure sensor

Patient tubing

- Patient-side Luer lock connector with two check valves
- Injector-side connector with

LED display

■ Color display of the injected medium and status display


Intuitive operation with touch display

Easy-Click-Cassette

- 24 hours of use for as many injections as desired
- Bacteria filter
- Particle filter
- Connector with contact protection (SafeConnect)



Ulrich



CM-Select

Selection of a second contrast medium

CM-Loop

Alternate switching in the case two identical contrast medias


Cost-effectiveness and hygiene are the central focus

Would you like to save costs?

The injection is performed directly from the original media containers which makes the use of bulk containers and the resultant cost savings possible.

If two identical contrast media are loaded onto both connection points, the device automatically switches to the second contrast medium bottle as soon as the first bottle is empty. Optimal contrast medium management is thus guaranteed.

With Max 3, you also reduce your costs for disposables, since only the patient tubing needs to be changed for each patient.



■ Your advantages

- Low costs for disposables
- Optimal contrast medium management through the use of bulk containers
- Efficient workflows

24 hours of use of the Easy-Click-Cassette

- Only the patient tubing needs to be changed for each patient
- ► Save money!

Do you want maximum hygiene and safety?

Max 3 sets new standards for hygiene. The innovative SafeConnect offers optimal contact protection at the connection between the patient tubing and the Easy-Click-Cassette.

Since the injection takes place directly from the original media containers, the containers are only tapped once. This always ensures a closed system.

Along with the approved use of the Easy-Click-Cassette for up to 24 hours, you are always on the safe side.

Your patients' safety is our highest priority. The unique patient-side air monitoring reliably guards against critical air injections.



■ Your advantages

- SafeConnect with contact protection
- 24 hours of use of the Easy-Click-Cassette
- Direct injection from the original media containers
- Reliable protection from retrograde contamination
- Protection from air injections through patient-side air detector

Closed system & SafeConnect

► Highest degree of hygienic safety for patient and user!

Your advantages at a glance



Simple & flexible

- Set up only once per day
- Very fast patient changeovers
- Intuitive operator control concept
- Very easy to use



Economical & efficient

- Low costs for disposables
- Optimal contrast medium management
- Efficient workflows
- ► Low overall operating costs



Hygienic & safe

- Closed system: direct injection from the original media containers
- Automatic patient-side air monitoring
- SafeConnect with contact protection
- ► Safe for patient and user

Technical data at a glance

MRI compatibility Dimensions (W × D × H) Weight Power supply Power supply (battery charge) Media transport	Up to 3 Tesla 530 mm × 530 mm × 1380 mm approx. 40 kg Battery operation, lithium ion battery Voltage rating 100-240 VAC / 50/60 Hz Roll pump
Flow rate Maximum injection volume Reservoir volume	0.1 to 10.0 mL/s, in increments of 0.1 mL/s 400 mL/patient Contrast medium max. 2 x 200 mL NaCl max. 1 x 1000 mL or max. 1 x 2000 mL with bag and optional media rod
Maximum system pressure Air monitoring Pressure monitoring	Peak Value 17 bar (247 psi) 3 detectors in the media supply tubing 1 detector for easy-click cassette and patient tubing 1 pressure sensor
User interfaces Data import and export Data transfer injector – terminal	Terminal: 12" color TFT touch screen Injector: 4" color TFT touch screen USB interface WLAN
Number of boluses (phases) per injection program Number of injection programs that can be saved Pressure curve	Max. 40 Max. 200 Real-time display of the injection pressure
Software functions (standard) Software options	CM-Loop: Alternate switching in the case two identical contrast media Keep-Vein-Open (KVO) Remainder display NaCl backup Manual pause, time-controlled pause, timer, elapsed time Vein check CM-Select: Selection of a second contrast medium
Accessories for injector	Same patient: Multiple injections per patient Convenience package: consisting of a media rod, waste bin, tray
Disposables	Patient tubing 2.5 m or 3.2 m Easy-Click-Cassette with s holder or I holder Easy-Click-Cassette flex with spikes

Sustaining member of the Deutsche Gesellschaft für Krankenhaushygiene e.V. (German Society for Hospital Hygiene)



